

| L Number | Hits | Search Text | DB | Time stamp |
|----------|-------|--|---|------------------|
| 1 | 13813 | 324/750-765,158.1.ccls. | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2004/03/09 18:54 |
| 2 | 13314 | conductive near3 coil | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2004/03/09 18:54 |
| 3 | 41 | 324/750-765,158.1.ccls. and (conductive near3 coil) | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2004/03/09 18:54 |
| 4 | 18 | (324/750-765,158.1.ccls. and (conductive near3 coil)) and layer | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2004/03/09 18:54 |
| - | 11996 | conductive near3 coil | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2004/03/09 18:54 |
| - | 8 | (conductive near3 coil) and 324/754.ccls. | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2003/04/11 18:25 |
| - | 1038 | (conductive near3 coil) and 324/\$.ccls. | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2003/04/11 18:26 |
| - | 33 | (conductive near3 coil) and 324/750-765,158.1.ccls. | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2003/04/11 18:27 |
| - | 4785 | probe near5 coil | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2003/04/11 18:28 |
| - | 357 | (probe near5 coil) with contact\$4 | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2003/04/11 18:29 |
| - | 7 | "6043666" | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2003/04/11 18:31 |
| - | 3755 | kazama.in. | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2003/04/11 18:31 |
| - | 34 | kazama.in. and 324/750-765,158.1.ccls. | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2003/04/11 18:35 |
| - | 34 | kazama.in. and 324/750-765,158.1.ccls. | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2003/04/11 18:35 |

| | | | | |
|---|--------|---|---|------------------|
| - | 104 | (probe near5 coil) and 324/750-765,158.1.ccls. | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB | 2003/04/11 18:40 |
| - | 76 | kazama.in. and probe | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB | 2003/04/11 18:45 |
| - | 3405 | probe near3 coil | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB | 2003/04/11 18:45 |
| - | 309 | (probe near3 coil) with conduct\$4 | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB | 2003/04/11 18:46 |
| - | 450288 | conductive near3 coil nea5 taper\$4 | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB | 2003/04/11 18:56 |
| - | 450288 | (conductive near3 coil) nean5 taper\$4 | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB | 2003/04/11 18:56 |
| - | 11 | (conductive near3 coil) near5 taper\$4 | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB | 2003/04/11 18:58 |
| - | 30 | (conductive near3 coil) with taper\$4 | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB | 2003/04/11 19:00 |
| - | 62105 | coil near5 wire | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB | 2003/04/11 19:00 |
| - | 1498 | (conductive near3 coil) with (coil near5 wire) | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB | 2003/04/11 19:00 |
| - | 98 | ((conductive near3 coil) with (coil near5 wire)) and probe | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB | 2003/04/11 19:04 |
| - | 34300 | turn near3 coil | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB | 2003/04/11 19:04 |
| - | 185 | (turn near3 coil) with probe | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB | 2003/04/11 19:05 |
| - | 922 | coil near5 taper | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB | 2003/04/14 13:21 |

| | | | | |
|---|-------|--|---|------------------|
| - | 12840 | 324/750-765,158.1.ccls. | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB | 2003/04/14 13:45 |
| - | 25 | 324/750-765,158.1.ccls. and coil and taper | USPÄT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB | 2003/04/14 13:23 |
| - | 798 | 324/750-765,158.1.ccls. and coil | USPÄT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB | 2003/04/14 13:37 |
| - | 284 | (324/750-765,158.1.ccls. and coil) and smaller | USPÄT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB | 2003/04/14 13:24 |
| - | 408 | (324/750-765,158.1.ccls. and coil) and turn\$4 | USPÄT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB | 2003/04/14 13:37 |
| - | 2512 | 324/750-765,158.1.ccls. and turn | USPÄT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB | 2003/04/14 13:45 |
| - | 1755 | (324/750-765,158.1.ccls. and turn) and contact | USPÄT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB | 2003/04/14 13:45 |
| - | 12958 | conductive near3 coil | USPÄT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB | 2003/12/08 14:30 |
| - | 0 | (conductive near3 coil) and tapper | USPÄT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB | 2003/12/08 14:30 |
| - | 2 | ((conductive near3 coil) and (core adj wire)) and 324/754-765,158.1.ccls. | USPÄT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB | 2003/12/08 14:31 |
| - | 104 | (conductive near3 coil) and (core adj wire) | USPÄT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB | 2003/12/08 14:35 |
| - | 44 | (conductive adj2 layer) near5 (core adj wire) | USPÄT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB | 2003/12/08 14:36 |
| - | 4 | ("5200695" "5225773" "5461326" "5865632").PN. | USPAT | 2003/12/08 14:48 |
| - | 4766 | 385/\$.ccls. and (probe or tip) | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB | 2003/12/08 14:58 |

| | | | | |
|---|-------|---|---|------------------|
| - | 94 | (conduct\$4 near layer) and (385/\$.ccls. and (probe or tip)) | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2003/12/08 15:30 |
| - | 2367 | (conduct\$4 near layer) and 324/\$.ccls. | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2003/12/08 15:40 |
| - | 585 | ((conduct\$4 near layer) and 324/\$.ccls.) and (probe or tip) and test\$4 near5 (semiconductor or chip or integrated) | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2003/12/08 15:31 |
| - | 602 | (conduct\$4 near layer) and 324/754-761.ccls. | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2003/12/08 15:40 |
| - | 488 | ((conduct\$4 near layer) and 324/754-761.ccls.) and (probe or tip) | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2003/12/08 15:40 |
| - | 273 | ((conduct\$4 near layer) and 324/754-761.ccls.) and (probe or tip)) and (coil or spring) | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2003/12/08 16:42 |
| - | 3 | ("4731577" "5557212" "5969533").PN. | USPAT | 2003/12/08 16:30 |
| - | 3 | ("6452406").PN. | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2003/12/08 16:51 |
| - | 57 | (core adj wire) with (conductive adj layer) | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2003/12/08 16:52 |
| - | 24 | ((core adj wire) with (conductive adj layer)) and probe | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2003/12/08 16:52 |
| - | 23 | probe with (conductive adj layer) with (silver or copper) | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2003/12/12 16:58 |
| - | 39184 | core with steel | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2003/12/12 16:59 |
| - | 1083 | (core with steel) and probe | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2003/12/12 16:59 |
| - | 1976 | (core adj wire) with steel | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2003/12/12 16:59 |
| - | 98 | ((core adj wire) with steel) and ((core with steel) and probe) | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2003/12/12 16:59 |

| | | | | |
|---|----|---|---|------------------|
| - | 12 | (((((core adj wire) with steel) and ((core with steel) and probe)) and (silver or copper)) and nickel) and gold | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB | 2003/12/12 17:00 |
| - | 19 | (((((core adj wire) with steel) and ((core with steel) and probe)) and (silver or copper)) and nickel | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB | 2003/12/12 17:02 |
| - | 63 | ((((core adj wire) with steel) and ((core with steel) and probe)) and (silver or copper) | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB | 2003/12/12 17:04 |
| - | 4 | ("4038599") or ("6020747").PN. | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB | 2003/12/12 18:16 |
| - | 2 | ("4956602").PN. | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB | 2003/12/12 18:16 |